This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



51) International Patent Classification 6: A61K 1/025, 7/027, 7/031, 7/032	AJ	(11) International Publication Number: (43) International Publication Data:	WO 98/42298 1 October 1998 (01.10.98)
22) International Application Number: PCT/US: 22) International Filing Date: 12 March 1998 (30) Priority Buta: 26 March 1997 (26.03.97) 71) Applicant: AVON PRODUCTS, INC. [US/US]; 125 of the Americas, New York, NY 10020-1196 (US/US) Inventors: CURTIS, Emest, S.; 423 Leisure Loop, Mi 18337 (US). SHAH, Arvind, N.; 7 Mountainview Suffern, NY 10901 (US). PAHLCK, Harold, E.; 36 Drive, Waldwick, NI 07463 (US). 74) Agent: RUGGIERO, Charles, N., J.; Ohlandt, Greel glaro & Perie, Suite 903, One Landmark Square, SCT 06901 (US).	1 Aven). Iford, I Aven i Leons	(81) Designated States: AL, AM, AT, BY, CA, CH, CN, CU, CZ, DE GN, GM, GW, HU, ID, IL, IS, I.C. I.K. LR, LS, LT, LU, LY, MX, NO, NZ, PL, PT, BO, RU, TM, TR, TT, UA, UG, UZ, V, (GN, GM, KE, LS, MW, SD, SZ, (AM, AZ, BY, KG, KZ, MD, RI, (AT, BE, CN, DE, DK, ES, PI MC, NI., PT, SE), OAPI parent GA, GN, ML, MR, NE, SN, TI A Published With international search report	AU, AZ, BA, BB, BG, BR, DK, EE, ES, FT, OB, GE, JP, KE, KG, KP, KR, KZ, MD, MG, MK, MN, MW, SD, SE, SG, SI, SK, SL, TJ, N, YU, ZW, ARIPO patent J, UG, ZW), Eurosian patent J, TT, TM), European patent J, FR, GB, OR, IE, IT, LU, (BF, BJ, CF, CG, CI, CM, D, TG).

(57) Abstract

A wear-resistant cosmetic composition including a styrene-ethylene/propylene mixed block copolymer, prefembly from about 0.1 weight percent to about 15 weight percent, in a cosmetically acceptable currier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, preferably from about 0.1 weight percent to about 15 weight percent.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ī.	Albania	Y.S	\$pain	1,5	Lerocho	ıe	Sevenia
M	Amuzia	37	Finland	LT	Limu tria	S K	Slovakia
۸T	Auatria	FR	SATING	IJ	Luxenbourg	SM	Sonegal
AU	Ankedia	GA	Clabus	LV	Larvis	82	Sweetlerid
AZ.	Azertnijas	CB.	United Kingdom	MC	Monern	170	Chad
RA	Boshia and Harzegovina	CE	Georgia	MD	Republic of Moldova	76	Togs
BB	Rathedoo	CIT	CD inch a	MG	Medegracus	43	Tuikbret
22	Belgium	GN	Gulaca	MK	The former Yuguelav	TM	Thefernenist an
86	Burkers Fixo	GR	Greace		Republic of Manadonis	TR	Thurkey
BC	Bulgarta	HD	Stongery	MΣ	lleM	11	Tritidad and Tobase
ומ	Henip	112	treland	MN	Mangaliy	ÜĀ	Ukraine
BR	Bruil	11,	[crap]	MR	Maurienia	UG	Umda
ЯY	Relativ	19	Indend	MW	Malawi	บร	United States of America
CA	Casteda	17	Lely	MX	Mexico	UZ.	Ushitista
Cfi	Central African Republic	JP.) spen	NE	Miger	VN	Vict New
CG	Congo	KB	Konya	NL	Notherlands	ΧÜ	Yugostavia
CH	Swisserland	KC	Kyrnyastan	NO	Morary	ZW	Zimbahwa
CI	Cas d'Ivoire	KP	Democratic People's	N2	New Zealuid	2**	Simonue
CM	Cameroon		Republic of Kines	PL	Poland		
CN	China	XR	Republic of Kores	ΡŦ	Portugal		
Ct!	Cubs	ΚZ	Kazakusa	RO	Волица		
CZ.	Creek Republic	ic	Saint Lucia	8 U	Humina Pederation		
PR	Company	LE	Linchteratein	82	Seden		
nk	D-Ent-mP4	1.14	Gri 1-anks	a.	Adon		
FF	Paronia	1, JR.	1.lbesta	80	Sargapore		

;

WEAR RESISTANT COSMETICS

The present invention relates generally to wear resistant cosmetic compositions. More particularly, this invention relates to a cosmetic composition containing a styrene-ethylene/propylene mixed block copolymer that demonstrates enhanced wear in combination with a smooth, non-tacky feel.

BACKGROUND OF THE INVENTION

Various organic waxes and film formers are known in the art for their ability to impart uniform films and protective barriers to the skin and lips. Most of these films are slow to dry on application.

Because these films remain wet for extended periods of time, they adhere poorly and tend to transfer off the surface to which they are applied. This results in poor overall cosmetic wear, and requires that the user reapply the cosmetic frequently.

Those film formers that provide somewhat more rapid drying times have additional limitations. The primary limitation of these film formers is an unpleasant tacky feel on application to the skin, lips or lashes that is disliked by consumers. Also, these products tend to drag against the skin when applied, and leave the skin feeling dry and sticky.

20

30

Accordingly, there is a need for a wear-resistant cosmetic that forms a protective film on the skin that is also quick to dry and easy to apply, but does not have an unpleasant, undesirable tacky feel on the skin.

SUMMARY OF THE INVENTION

Against the foregoing background, it is a primary object of the present invention to provide a cosmetic composition having enhanced wear resistance.

It is another object of the present invention to provide a cosmetic composition that produces a quick drying protective film on the skin.

It is yet another object of the present invention to provide a wear resistant cosmetic composition that is not tacky and neither drags against the skin upon application nor dries the skin.

5

10

20

25

To the accomplishment of the foregoing objects and advantages, the present invention, in brief summary, comprises a wear-resistant cosmetic composition including a styrene-ethylene/propylene mixed block copolymer, preferably at from about 0.01 weight percent to about 85 weight percent, in a cosmetically acceptable carrier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, preferably at from about 0.01 weight percent to about 85 weight percent.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention provides a wear-resistant cosmetic such as, for example, a lipstick, foundation, eye shadow, blush or mascara. It has surprisingly been found that a styrene-ethylene/propylene mixed block copolymer provides superior wear resistance to such cosmetic compositions or formulas, both alone and preferably in combination with an alkyl cycloalkylacrylate copolymer. Moreover, it has surprisingly been found that cosmetic formulas containing the styrene-ethylene/propylene mixed block copolymer are non-tacky and have a pleasant feel when applied to the skin. These compositions are easy to apply, have improved skin and lip adherence (transfer resistance), and provide enhanced wear and longevity.

Most preferably, the wear-resistant cosmetic composition according to the present invention includes a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier. This cosmetic composition may also include an alkyl cycloalkylacrylate copolymer as a primary ingredient or in combination with the mixed-block copolymer.

The preferred styrene-ethylene/propylene mixed block copolymer of the present invention is a block copolymer made up of styrene, ethylene and propylene type monomers having the following general structure:

Styrene

$$R_1 - C = C \left(\begin{array}{c} R_2 \\ R_3 \end{array} \right)$$

15

10

$$R_1$$
 $C = C \setminus R_3$

Propylene

where R₁ to R₆ are independently hydrophobic alkyl chains. One possible structure of the copolymer, with the repeating monomer subset shown in brackets, is:

wherein n ≥ 1 and the R groups may be the same or different, and are independently hydrophobic alkyl chains.

10

15

20

25


The most preferred styrene-ethylene/propylene mixed block copolymer for use in the present invention is available from Brooks Industries as Gel Base (Code 05895). Gel Base (Code 05895) is a styrene-ethylene/propylene mixed block copolymer in combination with isododecane, that is provided as a cloudy white gel. The specific structure of the Gel Base (Code 05895) styrene-ethylene/propylene mixed block copolymer is proprietary to Brooks Industries.

This mixed block copolymer is not water soluble, but is soluble in certain oils and hydrocarbon solvents such as isoparaffin and isododecane. This allows the mixed block copolymer to be delivered in a volatile solvent base to the skin. Once delivered, the volatile solvent evaporates, at least partially, leaving the water insoluble mixed block copolymer film on the skin. This film resists transfer and wear. The mixed block copolymer is most preferably used in combination with a silicone-containing base (containing, for example, dimethicone/cyclomethicone) or an organic volatile in an aqueous base, for suporior feel and wear.

Commence of the Commence

In a preferred embodiment, the styreneethylene/propylene mixed block copolymer is from
about 0.01 percent by weight to about 85 percent by
weight (weight percent) of the total weight of the
composition. In the most preferred embodiment, the
styrene-ethylene/propylene mixed block copolymer is
from about 0.1 to about 15 percent by weight of the
composition. It should be understood that one or
more styrene-ethylene/propylene mixed block
copolymers may be used in the present compositions.

When the composition includes the alkyl-cycloalkylacrylate copolymer, the preferred alkyl cycloalkylacrylate copolymer is a copolymer or copolymers having the following formulas and the isomers thereof:




20

2000年度是 安鄉

5

10



where R_i to R_i are independently hydrophobic alkyl chains. The alkyl cycloalkylacrylate copolymers are soluble in hydrocarbons, such as isododecane, but not in water, thus enhancing the film-forming effect of the copolymer in a volatile solvent base.

When included, the alkyl cycloalkylacrylate copolymer or copolymers can be from about 0.01 percent by weight to about 85 percent by weight. Preferably, this copolymer is about 0.1 percent by weight to about 15 percent by weight of the composition.

The composition may also include other ingredients, such as a volatile solvent, wax, powder, non-volatile oil, and emulsifier.

The volatile solvent of the present invention acts as a carrier for the other components of the cosmetic, rapidly and evenly dispersing them on the skin, and then evaporating. The preferred volatile solvent includes C₆ to C₂₀ hydrocarbon fractions, more preferably an isoparaffin and most preferably the specific C₁₂ fraction isododecane. Alternatively, cyclomethicone, up to a preferred limit of about 30 weight percent, is also favored.

THE REPORT OF STREET

The volatile solvent may be present in an amount from about 0.01 percent by weight to about 85 percent by weight. However, in certain compositions, less volatile solvent than the maximum 85 percent by weight is desired. For example, a foundation preferably contains no more than about 50 percent by weight of volatile solvent. One or more volatile solvents may be present in the above total amount.

The preferred wax or waxes can be of vegetable, 10 synthetic or hydrocarbon origin. The wax preferably should have a melting point in the range between about 35°C to 120°C. The wax is present in an amount from about 0.01 percent by weight to about 50 percent by weight of the composition. A greater amount of 1.5 wax is preferred in an anhydrous blush or lipstick than in a mascara. Therefore, the amount of wax in an anhydrous blush or lipstick is preferably about 0.01 percent by weight to about 50 percent by weight, whereas in a mascara, the amount of wax is preferably about 0.01 to about 25 percent by weight of the 20 composition.

The dry powder, as discussed above, gives color and sheen to the cosmetics of the present composition. The preferred dry powder includes an organic or an inorganic powder or a combination thereof. The dry powder preferably is a certified organic lake, a stain or an inorganic pigment having a particle size between about 0.02 and about 85 microns in diameter. The dry powder or powders 30 component is preferably present in an amount from about 0.1 percent by weight to about 65 percent by weight of the composition, with the higher figure most suitable for such products as lipsticks or foundations. A blush or mascara preferably contains no more than about 20 to 25 weight percent of powder. 3.5

Committee of the Commit

10

15

20

It is also preferred, depending on the final product being formulated, to include a nonvolatile oil, emulsifier, water or a combination thereof to the finished cosmetic composition. The copolymers of the present invention are suitable for use in both water-based and anhydrous systems.

A preferred cosmetic composition according to the present invention comprises from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers. In a more preferred embodiment, the composition also includes from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer. Another preferred cosmetic composition according to the present invention comprises:

- from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers;
- 2) from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer;
 - 3) from about 0.01 weight percent to about 85 weight percent volatile solvent;
- 4) from about 0.01 weight percent to about 50 weight percent wax;
 - 5) from about 0.1 weight percent to about 65 weight percent dry powder; and
- 6) from about 0.01 weight percent to about 80 weight percent non-volatile oil, emulsifier and/or 30 water.

As discussed above, one or more of each ingredient may be used, but with the total amount of that ingredient set forth above.

Within the preferred ranges set forth above, the sollowing Examples 1 through 3 set forth preserved

subset compositions for foundations, blushes or lipsticks, and mascaras, respectively.

Example 1 FOUNDATION

5

10

	Wt. &	
<u>F</u>	rom about	To about
Styrene-ethylene/propylene mixed block copolymer	0.01	15
Alkyl cyclomethacrylate copolyme	r 0.01	15
Volatile Solvent	0.01	50
Wax	0.01	30
Powder	0.1	65
Nonvolatile oil, emulsifier and water	0.01	5\$

Example 2 ANHYDROUS BLUSH/LIPSTICK

20

15

		Wt. 8	
	Ero	ಶಬಂದೆಣ ಗಾ	To about
	Styrene-ethylene/propylene mixed block copolymer	0.01	10
25	Alkyl cyclomethacrylate copolymer	0.01	20
	Volatile Solvent	0.01	60
	Wax	0.01	50
	Powder	0.1	25
30	Nonvolatile oil and emulsifier	0.01	55

Example 3 MASCARA

35 Wt. 8 From about To about Styrene-ethylene/propylene mixed block copolymer 0.01 30 Alkyl cyclomethacrylate copolymer 0.01 50 Volatile Solvent 40 0.01 70 XSW 0.01 25

Powder	0.1	20
Nonvolatile oil, emulsifier		
and water	0.01	50

5 The following are illustrative preferred embodiments.

Example 4 - Pigmented Foundation

10	Isododecane Silica-fumed	25.00 0.50
	Isooctahexacontane	1.00
	Bentone gel	3.00
	Isododecane/mixed block	
15	copolymer	6.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	2.00
	Laurylmethicone copolyol	2.00
	Polyglycerol diisostearate	0.75
20	Glyceryl tribehenate	0.75
	Glyceryl rosinate	4.00
	Cosmetic powder	8.75
	Cosmetic pigment	12.695
	Demineralized water	27.785
25		0.20
	Sodium hexametaphosphate	0.15
	Sodium chloride	0.50
	Butylene glycol	4.00
	Methylparaben	0.40
30	Xanthan gum	0.01
	Imidazolidinyl urea	0.50

Example 5 - Waterproof Mascara

	Udorless Mineral Spirits	32.35
35	lsododecane/Mixed Block	
	Copolymer	15.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	4.00
	Pentaerythritol rosinate	2.50
40	Iron oxide	5.00
	Cosmetic wax	9.30
	Cosmetic powder	13.00
	Hydroxylated lanolin	1.30
	Glyceryl Pyroglutamate	
45	Monooleate	0.50
	Polybutene	0.10
	Butylated hydroxytoluene	0.02
	Propylparaben	0.25
	Demineralized water	14.88

Service March 1988

S	Polyvinylpyrrolidone Tetrasodium EDTA Acetylated POE lanolin alcohol Propylene glycol Methylparaben 2-phenoxyethanol	0.10 0.20 0.20 1.00 0.30 0.50
10	Example 6	- Blush
	Tridecyl trimellitate Isododecane/mixed block copolymer	14.68 4.95
15	Tsododecane Cyclomethicone Cycloalkylmethacrylate	7.35 4.50
20	copolymer/isododecane Pentaerythritol rosinate Isopropyl lanolate Cosmetic wax BHT	20.00 1.20 5.00 22.00 0.02
25	Ethylhexyl palmitate Jojoba oil Ethylhexyl methoxycinnamate Tocopherol acetate	5.00 0.50 1.00 0.05
30	Organic pigment lake Iron oxide Titanium dioxide Mica	0.55 1.35 3.85 8.00
	Example 7	
35	Cosmetic wax Diisostearyl fumarate Stearyl dimethicone Ethylhexyl methoxycinnamate	14.60 9.80 3.90 3.20
40	Benzophenone 3 Iron oxide pigment Cosmetic powder Cyclomethicone Isododecane	1.50 9.60 2.84 45.05 6.00
45	Isododecane/mixed block copolymer Squalane Cycloalkylmethacrylate copolymer/isododecane	2.00 1.50 0.01
	•	

50

The invention having been thus described with particular reference to the preferred forms thereof,

WO 98/42298

PCT/US98/04704

it will be obvious that various changes and modifications may be made therein without departing from the spirit and scope of the invention as defined in the appended claims.

What we claim is:

 A wear-resistant cosmetic composition comprising a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier.

2. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is of a structure as follows:

wherein $n \ge 1$ and R represents independently hydrophobic alkyl groups of identical or different

15

20

25


types.

- 3. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.01 percent by weight to about 85 percent by weight of a total composition weight.
- 4. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.1 weight percent to about 15 percent by weight of a total composition weight.

La Participa De Marchaelle

- 5. The cosmetic composition of claim 1, further comprising an alkyl cycloalkylacrylate copolymer.
- 6. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is of a structure selected from the group consisting of Structure A, Structure B, an isomer of Structure A, an isomer of Structure B, and a combination thereof:

Structure A



Structure B

15

.10

where R1 to R4 are independently hydrophobic alkyl chains.

- 7. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is present at from about 0.01 weight percent to about 85 weight percent.
- 8. The cosmetic composition of claim 5,
 wherein said alkyl cycloalkylacrylate copolymer is
 present at from about 0.1 weight percent to about 15
 weight percent.
- 9. The cosmetic composition of claim 1, wherein said carrier comprises a volatile solvent.
 - 10. The cosmetic composition of claim 9, wherein said volatile solvent is present at from about 0.01 weight percent to about 85 weight percent.
- 11. The cosmetic composition of claim 10, wherein said volatile solvent includes a volatile hydrocarbon.

20

- 25 12. The cosmetic composition of claim 10, wherein said volatile solvent is silicon-based.
 - 13. The cosmetic composition of claim 1, wherein said carrier includes a volatile hydrocarbon.
 - 14. The cosmetic composition of claim 1, wherein said carrier includes silicone.

PCT/US98/04704

20

25

- 15. The cosmetic composition of claim 1, further comprising from about 0.01 weight percent to about 50 weight percent wax.
- 16. The cosmetic composition of claim 1, further comprising from about 0.1 weight percent to about 65 weight percent dry powder.
- 17. The cosmetic composition of claim 1, 10 wherein said carrier comprises water.
 - 18. The cosmetic composition of claim 1, further comprising a non-volatile oil.
- 19. The cosmetic composition of claim 1, further comprising an emulsifier.
 - 20. A wear-resistant cosmetic composition comprising an alkyl cycloalkylacrylate copolymer.
 - 21. A wear-resistant cosmetic composition comprising:

from about 0.01 to about 30 percent by weight styrene-ethylene/propylene mixed block copolymer;

from about 0.01 to about 50 percent by weight alkyl cyclomethacrylate copolymer;

from about 0.01 to about 70 percent by weight volatile solvent;

from about 0.01 to 50 percent by weight wax; and from about 0.1 to 65 percent powders.

INTERNATIONAL SEARCH REPORT

hetemetional application No.

		PCT/U898/04704		
A. CLASSIFICATION OF SUBJECT MATTER)PC(6) :A61K 7/025, 7/027, 7/031, 7/032 US CL : 424/64, 70.7, 401 According to International Paper: Classification (IPC) or to both agriculal classification and IPC				
	OS SEARCHED			
	composition seasoned (classification system followed by	cismification symbols)		
	424/64, 70.7, 401			
Documents NONE	on secobed other than minimum decumentation to the ext	ent that such documents are included in the fields searched		
Electronic de NONE	tia base consulted during the international search (name	of date base and, where practicable, search terms used)		
c. poc	uments considered to be relevant			
Category*	Citation of document, with indication, whose approx	priate, of the relevent passages Relevant to claim No.		
x	US 5,558,872 A (JONES et al.) 24 Septem 26 and claim 1.	mber 1996, column 2, line 1-4		
Y	20 and Claim 1.	9-19		
Y	US 5,219,560 A (SUZUKI et al.) 15 Jun 11-14, and examples.	ne 1993, abstract, columns 9-19		
	•			
	·			
Purther documents are ligard in the continuation of Box C. See parant family somex.				
"A" described the described of the described to be described." "A" described to be described.				
-R. "	riler footment published as as efter the interminent filing data "X numerat which may throw double an priority stein(s) on which is	(" description of personality relevance; the electrical intercions connect to moveled movel or except to sometimes it is species an investive shap when the doctor out is taken where		
ei ei	and to unlabilith the publicances date of seedher obtained or other secial research (as speculied) sourcest inferrong, in an oral distinction, the, exhibition or other	compilered to be give an accordance stop when the document is somblesed with one or more only south documents, such doublesed		
treates being obvious to a person willed in the art "P" descripes published prior to the inimendative! filing date but less that "g." dominant member of the vane paint furthy the priority date states of				
Date of the actual completion of the international search Date of mailing of the international tearch report				
29 MAY 1998 2 9 JUN 1998				
Westings	ener of Patanta and Tradomerka en. D.C. 20231	SYOTHSNA VENKAT JANGER OLOPHORE No. (703) 306-3493		
Fectimile		еюрьале No. (703) 306-3493		
COME PULL	ISA/210 (second shoet)(July 1992)+	() (